

NERHRT Rural Health Data Analysis - Table of Findings

Data Source	Statistic	Units	Isolated Rural	Small Rural	Large Rural	All Rural	Non- Rural	All Rural : Non-Rural Difference	All Rural : Non-Rural Ratio
Census 2000 - Population / Density	Population	Resident Persons	246,628	782,233	1,734,076	2,762,937	11,140,122		
	% Population	% of N.E. Population	2%	6%	12%	20%	80%		
	Land Area	Square Miles	17,265	21,117	13,945	52,326	10,471		
	% Land Area	% of State Land Area	27%	34%	22%	83%	17%		
Census 2000 - Demographics	Average Population Density	Persons / Square Mile	14	37	124	53	1,064		
	% Female	% of population	50.7%	51.0%	50.9%	50.9%	51.8%	-0.9%	0.98
	% Age <20 years	% of population	25.2%	26.5%	27.8%	27.2%	26.6%	0.6%	1.02
	% Age 20-65 years	% of population	58.1%	58.6%	60.0%	59.4%	59.8%	-0.4%	0.99
	% age 65+ years	% of population	16.7%	14.9%	12.3%	13.4%	13.6%	-0.2%	0.99
	% Rac/Eth Minority	% of population	2.7%	3.6%	4.7%	4.2%	19.0%	-14.8%	0.22
	% Non-Family Households	% of Households	17.0%	16.5%	14.8%	15.4%	16.6%	-1.2%	0.93
	% Households w/ resident <18 yrs	% of Households	28.8%	30.3%	33.8%	32.3%	31.7%	0.6%	1.02
	% Households w/ resident 65+ yrs	% of Households	40.3%	37.1%	32.2%	34.4%	35.2%	-0.9%	0.98
	% Householders 65+ yrs	% of Households	26.0%	23.9%	20.4%	22.0%	22.3%	-0.3%	0.99
	Seasonal/Recreat. Housing Rate	% of Households	36.5%	21.9%	9.6%	16.9%	2.4%	14.5%	6.99
	% Edu < HS	% of pop. Education known	15.0%	15.6%	13.3%	14.1%	15.9%	-1.8%	0.88
	% Edu HS+	% of pop. Education known	60.2%	61.2%	59.5%	60.0%	52.2%	7.9%	1.15
	% Edu Bach +	% of pop. Education known	24.8%	23.2%	27.2%	25.8%	31.9%	-6.0%	0.81
	% Grandparent Caregiver	% HH w/ Grandparent/child	44.0%	40.4%	32.8%	35.6%	30.3%	5.3%	1.17
	% Disabled Age 5-20 yrs	% of population by age	7.9%	8.8%	8.3%	8.4%	8.4%	0.0%	1.00
	% Disabled Age 21-64 yrs	% of population by age	19.6%	19.0%	16.2%	17.3%	17.8%	-0.5%	0.97
	% Disabled Age 65+ yrs	% of population by age	39.2%	39.2%	39.2%	39.2%	38.0%	1.2%	1.03
	% Moved w/in 5 years	% of pop. age 5+ w/ valid prior residence	36.8%	37.8%	39.6%	38.9%	42.5%	-3.6%	0.91
	% Foreign Born	% of Population	2.8%	3.3%	3.5%	3.4%	11.5%	-8.1%	0.29
% Not Fluent English	% of pop. age 5+ able to speak	1.4%	1.7%	1.9%	1.8%	7.6%	-5.8%	0.24	
% Unemployed	% of pop. In Labor Force	5.1%	5.2%	4.2%	4.6%	4.8%	-0.2%	0.96	

NERHRT Rural Health Data Analysis - Table of Findings

Data Source	Statistic	Units	Isolated Rural	Small Rural	Large Rural	All Rural	Non- Rural	All Rural : Non-Rural Difference	All Rural : Non-Rural Ratio
Census 2000 - Employment	% Age 16+ Not in Labor Force	% of pop. Age 16+	36.8%	34.9%	30.9%	32.5%	33.6%	-1.1%	0.97
	% Commute by Public Transportation	% of Workers that Commute	0.5%	0.5%	0.9%	0.8%	6.4%	-5.7%	0.12
	Mean Commute Minutes	Minutes per trip (one way)	22.7	22.9	25.6	24.6	25.4	0.8	0.97
	% Self Employed / family workers	% of Employed pop. Age 16+	14.8%	12.0%	8.7%	10.1%	6.4%	3.8%	1.59
	% Occ Mgt/Prof	% of Employed pop. Age 16+	30.4%	31.0%	35.6%	33.9%	39.7%	-5.8%	0.85
	% Occ. Service	% of Employed pop. Age 16+	17.1%	15.7%	14.3%	14.9%	14.1%	0.8%	1.06
	% Occ Sales/Office	% of Employed pop. Age 16+	22.8%	23.5%	24.8%	24.3%	26.6%	-2.3%	0.91
	% Occ. Farm/Fish/Forestry	% of Employed pop. Age 16+	3.4%	1.9%	0.7%	1.3%	0.2%	1.1%	6.17
	% Occ. Const/Maint. Transportation	% of Employed pop. Age 16+	12.1%	11.2%	10.2%	10.7%	7.5%	3.2%	1.42
Census 2000 - Income & Poverty	% Occ. Production/ Transportation	% of Employed pop. Age 16+	14.2%	16.7%	14.4%	15.0%	11.9%	3.0%	1.25
	% HH w/ Soc Sec	% of Households w/ Earnings	32.2%	30.1%	25.9%	27.7%	26.4%	1.3%	1.05
	% HH w/ SSI	% of Households w/ Earnings	4.0%	4.6%	3.5%	3.8%	4.4%	-0.6%	0.87
	% HH w/ Pub Asst.	% of Households w/ Earnings	4.3%	4.7%	3.3%	3.8%	3.4%	0.4%	1.11
	% HH w/ Retirement Income	% of Households w/ Earnings	17.9%	17.0%	17.0%	17.1%	16.8%	0.3%	1.02
	Mean Family Income	\$ per family per year	\$ 44,210	\$ 46,371	\$ 57,030	\$ 52,847	\$ 68,591	-\$ 15,745	0.77
	Mean Per Capita Income	\$ per person per year	\$ 20,181	\$ 19,605	\$ 22,428	\$ 21,392	\$ 26,265	-\$ 4,873	0.81
	% Poverty Families	% of families w/ poverty level deterr	7.3%	7.5%	4.9%	5.9%	6.6%	-0.7%	0.89
	% Poverty Families w/ child <5y	% of families w/ child <5 w/ poverty	14.0%	15.6%	9.9%	11.8%	12.5%	-0.7%	0.94
	% Poverty Individuals	% of persons w/ poverty level deterr	10.5%	10.8%	7.4%	8.7%	9.2%	-0.5%	0.94
% Poverty Ind. 65+ y	% of persons age 65+ w/ poverty le	9.6%	9.8%	7.3%	8.3%	8.6%	-0.3%	0.97	
% Individuals of Low Income (< 200% Poverty)	% of persons w/ poverty level deterr	31.7%	30.4%	21.5%	25.0%	21.5%	3.4%	1.16	
% Last Moved 5 Years	% of Occupied Housing Units	38.9%	39.6%	41.3%	40.6%	45.4%	-4.8%	0.89	

NERHRT Rural Health Data Analysis - Table of Findings

Data Source	Statistic	Units	Isolated Rural	Small Rural	Large Rural	All Rural	Non- Rural	All Rural : Non-Rural Difference	All Rural : Non-Rural Ratio	
Census 2000 - Housing	% Last Moved 6-10 Years	% of Occupied Housing Units	16.1%	15.8%	15.8%	15.8%	15.2%	0.6%	1.04	
	% Last Moved 11-20 Years	% of Occupied Housing Units	21.0%	20.6%	20.5%	20.6%	16.2%	4.4%	1.27	
	% Last Moved 20+ Years	% of Occupied Housing Units	23.9%	23.9%	22.3%	23.0%	23.2%	-0.2%	0.99	
	% No Vehicle Available	% of Occupied Housing Units	5.5%	6.6%	5.9%	6.1%	11.6%	-5.5%	0.52	
	% Lacking Complete Plumbing Facilities	% of Occupied Housing Units	1.5%	0.9%	0.5%	0.7%	0.6%	0.1%	1.23	
	% Lacking Complete Kitchen Facilities	% of Occupied Housing Units	0.9%	0.7%	0.4%	0.5%	0.6%	-0.1%	0.91	
	% No Telephone Service	% of Occupied Housing Units	1.6%	1.6%	1.0%	1.2%	1.1%	0.2%	1.18	
	% Owner Cost > 30% of Income	% Owner Occupied Units	23.3%	22.1%	21.5%	21.8%	23.2%	-1.4%	0.94	
	% Renter Cost > 30% of Income	% Renter Occupied Units	32.3%	33.2%	34.8%	34.1%	36.4%	-2.3%	0.94	
	% Overall Housing Cost > 30% of Income	% Housing Units	26.0%	25.9%	25.6%	25.7%	28.8%	-3.1%	0.89	
	% Housing > 30% HH 65+ y	% Housing Units	26.4%	27.5%	28.4%	27.9%	33.2%	-5.3%	0.84	
PCSA - AMA Provider Statistics	Primary Care Prov. Per Pop	Providers / 100,000 pop.	99.3	86.9	90.3	90.1	104.7	-	14.6	0.86
	% PC Family Practice	% of Clinically Active PC Providers	53%	47%	45%	47%	19%	27%	2.43	
	% PC Internal Medicine	% of Clinically Active PC Providers	27%	28%	30%	29%	45%	-16%	0.65	
	% PC Pediatrics	% of Clinically Active PC Providers	10%	15%	14%	14%	21%	-7%	0.67	
	% PC Ob/Gyn	% of Clinically Active PC Providers	10%	10%	11%	10%	15%	-5%	0.69	
	Specialist Prov. Per Pop	Providers / 100,000 pop.	93.3	80.8	114.8	102.0	184.4	-	82.4	0.55
	% PC Federal Prov.	% of Clinically Active PC Providers	0%	1%	2%	1%	1%	0%	1.16	
	% PC International Med Grad	% of Clinically Active PC Providers	9%	14%	11%	12%	22%	-11%	0.52	
	% PC 50+ years old	% of Clinically Active PC Providers	37%	39%	34%	36%	33%	3%	1.09	
	Phys Assistants per Pop.	Providers / 100,000 pop.	9.0	8.7	6.9	7.7	3.9	3.8	1.97	
	PC Residents per Pop	Providers / 100,000 pop.	0.4	2.2	11.9	7.8	25.7	-	18.0	0.30
	Residents per PC provider	Residents per Clin. Active PC Prov	0.00	0.03	0.13	0.09	0.25	-	0.16	0.35
	All Providers per Pop	Providers / 100,000 pop.	108.8	97.8	109.2	105.6	134.3	-	28.8	0.79
	Adj. & Allocated Prov per Pop	Providers / 100,000 pop.	98.7	88.3	85.8	87.8	85.0	2.8	1.03	
	Raw Allocated Prov per Pop	Providers / 100,000 pop.	104.6	91.7	86.2	89.7	86.1	3.6	1.04	

NERHRT Rural Health Data Analysis - Table of Findings

Data Source	Statistic	Units	Isolated Rural	Small Rural	Large Rural	All Rural	Non- Rural	All Rural : Non-Rural Difference	All Rural : Non-Rural Ratio	
PCSA - CMS Medicare Utilization Statistics	% w/ 1+ Primary Care Visits	% of Medicare Beneficiaries	58.7%	62.9%	68.9%	65.6%	69.5%	-3.9%	0.94	
	% w/ 1+ Ambulatory Visits	% of Medicare Beneficiaries	73.3%	75.6%	79.5%	77.3%	81.8%	-4.4%	0.95	
	% w/ 1+ Emergency Dept Visits	% of Medicare Beneficiaries	22.6%	24.8%	25.1%	24.7%	25.0%	-0.2%	0.99	
	% PC visits at RHC	% of PC visits	52.1%	34.6%	8.1%	21.7%	0.3%	21.3%	64.72	
	% PC visits at FQHC	% of PC visits	13.6%	14.8%	4.9%	8.5%	1.9%	6.7%	4.57	
	Crude Rate All Hospitalizations	Disch per 1,000 Medicare Beneficiaries	303.9	313.2	308.2	309.4	334.8	-	25.3	0.92
	Crude Rate Med Hospitalizations	Disch per 1,000 Medicare Beneficiaries	213.3	223.6	215.4	218.1	240.0	-	21.9	0.91
	Crude Rate Surg Hospitalizations	Disch per 1,000 Medicare Beneficiaries	90.6	89.6	91.8	90.8	94.8	-	3.9	0.96
	Crude Days per Tot Hospitalization	Patient Days	5.1	5.1	5.3	5.21	5.71	-	0.5	0.91
	Crude Days per Med Hospitalization	Patient Days	4.5	4.6	4.7	4.64	5.11	-	0.5	0.91
	Crude Days per Surg Hospitalization	Patient Days	6.5	6.6	6.6	6.62	7.23	-	0.6	0.92
	Crude Rate Primary Care Visits	Visits per Medicare Beneficiary	4.0	3.8	3.5	3.64	3.14	-	0.5	1.16
	Crude Rate Ambulatory Visits	Visits per Medicare Beneficiary	5.5	5.3	5.2	5.29	5.63	-	0.3	0.94
	Crude Rate Emerg Dept Visits	Visits per Medicare Beneficiary	0.4	0.4	0.4	0.40	0.41	-	0.0	0.97
	Crude Rate Mortality	Deaths per 1,000 Medicare Beneficiaries	50.9	52.3	53.2	52.6	52.5	-	0.1	1.00
	Adj. Rate All Hospitalizations	Disch per 1,000 Medicare Beneficiaries	310.8	321.0	311.0	314.5	327.3	-	12.8	0.96
	Adj. Rate Med Hospitalizations	Disch per 1,000 Medicare Beneficiaries	220.6	232.0	218.8	223.7	233.8	-	10.1	0.96
	Adj. Rate Surg Hospitalizations	Disch per 1,000 Medicare Beneficiaries	90.2	89.2	91.1	90.3	93.5	-	3.2	0.97
	Adj. Hospital Days - All	Days per 1,000 Medicare Beneficiaries	1,621	1,681	1,671	1,668	1,884	-	216	0.89
	Adj. Hospital Days - Med.	Days per 1,000 Medicare Beneficiaries	1,014	1,073	1,048	1,053	1,201	-	148	0.88
	Adj. Hospital Days - Surg.	Days per 1,000 Medicare Beneficiaries	605	608	621	614	683	-	69	0.90
	Adj. Days per Tot Hospitalization	Patient Days	5.2	5.2	5.4	5.3	5.8	-	0.5	0.92
	Adj. Days per Med Hospitalization	Patient Days	4.6	4.6	4.8	4.7	5.1	-	0.4	0.92
	Adj. Days per Surg Hospitalization	Patient Days	6.7	6.8	6.8	6.8	7.3	-	0.5	0.93
	Adj. Rate Primary Care Visits	Visits per Medicare Beneficiary	4.0	3.8	3.5	3.6	3.1	-	0.5	1.17
	Adj. Rate Ambulatory Visits	Visits per Medicare Beneficiary	5.5	5.3	5.2	5.3	5.6	-	0.3	0.95
	Adj. Rate Emerg Dept Visits	Visits per Medicare Beneficiary	0.4	0.4	0.4	0.4	0.4	-	0.0	1.02
	Adj. Rate Mortality	Deaths per 1,000 Medicare Beneficiaries	50.6	52.7	52.8	52.5	50.9	-	1.6	1.03

NERHRT Rural Health Data Analysis - Table of Findings

Data Source	Statistic	Units	Isolated Rural	Small Rural	Large Rural	All Rural	Non- Rural	All Rural : Non-Rural Difference	All Rural : Non-Rural Ratio
Health Professional Shortage Area (HPSA) Statistics	% Pop. in PC HPSA	% of Population	22%	29%	15%	19%	22%	-2%	0.90
	Weighted Avg HPSA Score	HPSA Scoring Scale	11.2	9.0	7.7	8.6	10.4	1.8	0.83
	Weighted Avg HPSA Pop/Provider	Population / Provider FTE	5,366	4,516	4,391	4,542	5,457	916	0.83
	% Pop. in Dental HPSA	% of Population	62%	49%	28%	37%	26%	11%	1.40
	Weighted Avg DHPSA Score	HPSA Scoring Scale	12.0	12.3	12.3	12.3	11.0	1.2	1.11
	Weighted Avg DHPSA Pop/Provider	Population / Provider FTE	12,590	11,772	13,681	12,818	10,856	1,962	1.18
	% Pop. in Mental HPSA	% of Population	29%	37%	8%	18%	9%	9%	2.07
	Weighted Avg MHPSA Score	HPSA Scoring Scale	14.3	14.8	13.5	14.4	15.3	0.9	0.94
Hosp. Dist	Weighted Avg MHPSA Pop/Provider	Population / Provider FTE	56,475	52,665	71,217	58,259	31,491	26,768	1.85
	% Pop. 10+ miles from hospital	% of Population	47.3%	32.5%	26.0%	29.7%	4.7%	25.0%	6.27
	% Pop. 15+ miles from hospital	% of Population	24.1%	8.9%	7.4%	9.3%	0.5%	8.7%	17.37
Birth Statistics	% Pop. 15+ miles from non-CAH hospital	% of Population	65.8%	44.2%	10.6%	24.8%	0.5%	24.3%	46.60
	% Smoked during pregnancy	% of Deliveries	Sub-Rural Detail Not Available			19.2%	10.1%	9.2%	1.91
	% Teen Deliveries	% of Deliveries				9.0%	7.2%	1.8%	1.26
	% No/Late Prenatal Care	% of Deliveries				11.6%	10.3%	1.3%	1.13
	% Low Birth Weight	% of Deliveries				6.1%	7.1%	-1.0%	0.86
	% Premature Delivery	% of Deliveries				9.2%	10.1%	-0.9%	0.91
	% PostDates Delivery	% of Deliveries				8.8%	6.0%	2.8%	1.46
	% Contraindicated Delivery Date	% of Deliveries				18.0%	16.2%	1.9%	1.12
Mortality	All Accidents	Deaths / 100,000 Pop				46.7	37.6	35.7	37.4
	Transportation Related accidents	Deaths / 100,000 Pop	21.5	17.0	14.7	16.2	9.3	6.8	1.73
	Suicide	Deaths / 100,000 Pop	13.0	12.9	11.7	12.2	7.7	4.5	1.58
	Homicide	Deaths / 100,000 Pop	2.8	1.9	1.3	1.6	2.5	0.9	0.65
	Firearms	Deaths / 100,000 Pop	9.2	9.2	6.5	7.7	4.2	3.5	1.84
	Crude Rate	Deaths / 100,000 Pop	980.0	912.4	945.1	936.9	865.6	71.2	1.08
	Age Adjusted Rate	Deaths / 100,000 Pop	782.9	804.2	814.0	807.6	801.7	5.9	1.01

NERHRT Rural Health Data Analysis - Table of Findings

Data Source	Statistic	Units	Isolated Rural	Small Rural	Large Rural	All Rural	Non- Rural	All Rural : Non-Rural Difference	All Rural : Non-Rural Ratio	
BRFSS STATISTICS - Health Care Access	Raw Case Frequency	Unweighted % of Respondents	1,172	4,999	4,650	10,821	22,738			
	HEALTH STATUS = FAIR/POOR	Weighted % of Respondents (95% C.I.)	13.7% (11.3% - 16.2%)	13.9% (12.6% - 15.1%)	11.7% (9.9% - 13.5%)	12.6% (11.5% - 13.8%)	12.9% (12.3% - 13.5%)	-0.3%	0.98	
	MEAN NUMBER OF DAYS PHYSICAL HEALTH NOT GOOD	Weighted % of Respondents (95% C.I.)	3.80 (3.2 - 4.4)	3.74 (3.4 - 4.0)	3.17 (2.8 - 3.5)	3.43 (3.2 - 3.6)	3.38 (3.2 - 3.5)	5.2%	1.02	
	MEAN NUMBER OF DAYS MENTAL HEALTH NOT GOOD	Weighted % of Respondents (95% C.I.)	3.35 (2.8 - 3.9)	3.27 (3.0 - 3.5)	2.90 (2.6 - 3.2)	3.08 (2.9 - 3.3)	3.18 (3.0 - 3.3)	-10.5%	0.97	
	HAVE HEALTH CARE COVERAGE = NO	Weighted % of Respondents (95% C.I.)	14.1% (11.6% - 16.7%)	15.3% (13.6% - 16.9%)	11.9% (10.1% - 13.7%)	13.3% (12.1% - 14.5%)	9.7% (9.1% - 10.4%)	3.6%	1.37	
	COULD NOT SEE DR. BECAUSE OF COST = YES	Weighted % of Respondents (95% C.I.)	14.0% (11.4% - 16.5%)	10.9% (9.6% - 12.2%)	9.0% (7.5% - 10.4%)	10.1% (9.2% - 11.1%)	9.3% (8.6% - 9.9%)	0.9%	1.10	
	USUAL SOURCE OF CARE = NO/MULTIPLE	Weighted % of Respondents (95% C.I.)	18.5% (15.8% - 21.3%)	19.1% (17.5% - 20.8%)	18.9% (16.7% - 21.0%)	18.9% (17.6% - 20.3%)	19.0% (18.2% - 19.8%)	0.0%	1.00	
	CHECKUP IN PAST 5 YEARS = NO	Weighted % of Respondents (95% C.I.)	9.7% (7.8% - 11.7%)	8.8% (7.7% - 9.9%)	6.7% (5.6% - 7.9%)	7.8% (7.0% - 8.5%)	5.2% (4.7% - 5.6%)	2.6%	1.50	
	MEAN DAYS HEALTH IMPAIRED LAST MONTH	Weighted % of Respondents (95% C.I.)	4.8 (3.9 - 5.7)	4.0 (3.6 - 4.4)	3.6 (3.1 - 4.1)	3.9 (3.6 - 4.2)	3.8 (3.6 - 4.0)	11.3%	1.03	
	BRFSS STATISTICS - Tobacco & Alcohol Use	SMOKER STATUS = CURRENT SMOKER	Weighted % of Respondents (95% C.I.)	21.1% (18.1% - 24.1%)	19.7% (18.1% - 21.2%)	21.5% (19.3% - 23.6%)	20.8% (19.5% - 22.2%)	18.0% (17.2% - 18.8%)	2.8%	1.16
		SMOKER STATUS = FORMER SMOKER	Weighted % of Respondents (95% C.I.)	35.4% (32.0% - 38.7%)	30.0% (28.3% - 31.6%)	31.3% (29.4% - 33.1%)	30.9% (29.5% - 32.3%)	28.2% (27.4% - 29.1%)	2.7%	1.09
		BINGE DRINKING RISK FACTOR	Weighted % of Respondents (95% C.I.)	14.5% (11.8% - 17.2%)	13.4% (12.0% - 14.8%)	14.9% (12.7% - 17.1%)	14.3% (13.0% - 15.7%)	15.4% (14.6% - 16.2%)	-1.1%	0.93
		HEAVY DRINKING RISK	Weighted % of Respondents (95% C.I.)	6.9% (5.2% - 8.7%)	5.0% (4.2% - 5.8%)	6.7% (5.3% - 8.2%)	6.1% (5.3% - 7.0%)	5.9% (5.4% - 6.4%)	0.3%	1.04
		MEAN NUMBER OF ALCOHOL DRINKS PER MONTH	Weighted % of Resp. that Drink (95% C.I.)	14.2 (12.1 - 16.3)	13.0 (11.6 - 14.3)	15.0 (12.7 - 17.2)	14.2 (12.9 - 15.5)	14.0 (12.9 - 15.1)	17.4%	1.01

NERHRT Rural Health Data Analysis - Table of Findings

Data Source	Statistic	Units	Isolated Rural	Small Rural	Large Rural	All Rural	Non- Rural	All Rural : Non-Rural Difference	All Rural : Non-Rural Ratio
BRFSS STATISTICS - Chronic Disease	BODY MASS INDEX = OVERWEIGHT	Weighted % of Respondents	37.4%	37.3%	37.1%	37.2%	36.6%	0.6%	1.02
		(95% C.I.)	(33.9% - 40.9%)	(35.5% - 39.2%)	(34.7% - 39.5%)	(35.7% - 38.7%)	(35.6% - 37.5%)		
	BODY MASS INDEX = OBESE	Weighted % of Respondents	21.2%	22.9%	22.9%	22.7%	20.9%	1.8%	1.09
		(95% C.I.)	(18.3% - 24.2%)	(21.3% - 24.5%)	(20.7% - 25.0%)	(21.4% - 24.0%)	(20.1% - 21.7%)		
	EVER TOLD HAVE DIABETES = YES	Weighted % of Respondents	6.6%	7.7%	6.4%	6.9%	6.6%	0.3%	1.04
		(95% C.I.)	(5.0% - 8.1%)	(6.7% - 8.7%)	(5.3% - 7.4%)	(6.2% - 7.5%)	(6.2% - 7.0%)		
	EVER TOLD HAVE HYPERTENSION = YES	Weighted % of Respondents	28.7%	24.0%	25.9%	25.5%	24.6%	0.9%	1.04
		(95% C.I.)	(25.5% - 31.9%)	(22.5% - 25.5%)	(23.8% - 27.9%)	(24.2% - 26.8%)	(23.8% - 25.4%)		
	HAVE HTN AND TAKING MEDS IT = YES	Weighted % of Respondents w/ HTN	76.6%	78.1%	76.6%	77.1%	77.2%	-0.2%	1.00
		(95% C.I.)	(70.7% - 82.5%)	(75.1% - 81.0%)	(72.5% - 80.6%)	(74.5% - 79.6%)	(75.6% - 78.9%)		
	EVER HAD BLOOD CHOL. CHECKED = YES	Weighted % of Respondents	84.0%	78.2%	81.2%	80.4%	81.5%	-1.0%	0.99
		(95% C.I.)	(81.2% - 86.8%)	(76.3% - 80.1%)	(78.7% - 83.7%)	(78.9% - 82.0%)	(80.5% - 82.4%)		
	EVER TOLD CHOLESTEROL IS HIGH = YES	Weighted % of Respondents that had Chol. Checked	39.2%	35.6%	35.9%	36.1%	34.8%	1.3%	1.04
		(95% C.I.)	(35.4% - 42.9%)	(33.7% - 37.4%)	(33.5% - 38.3%)	(34.6% - 37.6%)	(33.9% - 35.8%)		
EVER TOLD HAD A HEART ATTACK = YES	Weighted % of Respondents	5.2%	4.7%	3.9%	4.3%	3.9%	0.4%	1.10	
	(95% C.I.)	(3.6% - 6.8%)	(4.0% - 5.5%)	(3.1% - 4.8%)	(3.8% - 4.9%)	(3.6% - 4.2%)			
EVER TOLD HAD COR. HEART DISEASE = YES	Weighted % of Respondents	5.5%	4.9%	4.2%	4.5%	4.2%	0.3%	1.08	
	(95% C.I.)	(3.9% - 7.0%)	(4.2% - 5.6%)	(3.4% - 5.0%)	(4.0% - 5.1%)	(3.9% - 4.5%)			
EVER TOLD HAD A STROKE = YES	Weighted % of Respondents	2.6%	2.6%	2.4%	2.5%	2.1%	0.4%	1.19	
	(95% C.I.)	(1.5% - 3.6%)	(2.1% - 3.2%)	(1.8% - 3.0%)	(2.1% - 2.9%)	(1.8% - 2.3%)			
EVER TOLD HAD ASTHMA = YES	Weighted % of Respondents	13.2%	14.4%	14.8%	14.5%	14.0%	0.5%	1.04	
	(95% C.I.)	(10.6% - 15.8%)	(13.0% - 15.7%)	(13.0% - 16.6%)	(13.4% - 15.6%)	(13.3% - 14.7%)			
HAVE ASTHMA NOW = YES	Weighted % of Respondents that ever had Asthma	63.4%	69.0%	71.5%	69.9%	66.5%	3.5%	1.05	
	(95% C.I.)	(53.1% - 73.7%)	(64.4% - 73.6%)	(65.9% - 77.2%)	(66.2% - 73.6%)	(64.0% - 68.9%)			